

ARCHITECTURAL REVIEW COMMITTEE

**REQUEST FOR TREE REMOVAL**

Name: \_\_\_\_\_ Phone: \_\_\_\_\_ Date: \_\_\_\_\_

Sec. \_\_\_\_\_ Lot \_\_\_\_\_ Street Address: \_\_\_\_\_

No. of trees to be removed: \_\_\_\_\_ Location: \_\_\_\_\_

REASON FOR REMOVAL: (Check Appropriate Boxes Below)

- Dead                       Storm Damage                       Within 10' of Foundation
- Within 3' of Driveway                       Bulkhead Damage                       Dangerous Tree                       Tree(s) Marked
- Other: Explain \_\_\_\_\_

Signature of Owner: \_\_\_\_\_

ARC Office Use Only

Number of Trees Approved: \_\_\_\_\_ Number of Trees Not Approved: \_\_\_\_\_

Reason for Non-Approval

- Live Tree     Outside 10' Foundation Rule     Outside 3' Driveway Rule     Appears Healthy
- Protected Species     Professional Pruning Recommended
- Within 100' of Waterway - Requires Worcester County Approval to Remove - See Below

Inspector Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Community Forester: \_\_\_\_\_ Date: \_\_\_\_\_

Approval Good For 30 Days

The Atlantic Coastal Bays Critical Management office must approve trees located within 100' of a waterway. Call 410-632-1200 and request to speak to the Bays Critical Management Office. Submit County Approval with this request.

Note: Stumps must be removed or flush cut and covered with mulch. All requested trees must be marked. Owner should verify contractor's property damage and liability insurance.

**IN ACCORDANCE WITH DECLARATION OF RESTRICTIONS 8A(q) AND ARC GUIDELINE 400.1.8.**

Revised 04/1/04